







# Mounted Deer Head

## Supplies

---

5 sheets of 11"x11" 2 mm thick heavy chipboard for large size, or 2 sheets of 11"x11" 2mm thick heavy chipboard for small size

Masking tape

All purpose glue

Metal picture hanger

Upholstery tacks (to attach hanger)



## Products Used

---

Mounted Deer Head - 9" [SVG] (Sku: CM77474-1)

Mounted Deer Head - 15" [SVG] (Sku: CM77476-1)



# Steps To Complete

## Cutting Instructions

**1**

Load the Mounted Deer Head (Cut & More) file into your cutting machine's software. The large size has 5 separate cutting files, and the small size has 2 separate cutting files. These are labeled with "A", "B", "C", etc.. Make sure not to resize these designs, as the width of the slots is specific to 2mm thick material.

**2**

Proceed in the design software until the first file appears and is ready to be cut. Center the design in the 11" by 11" cutting area within your software. Make sure that your cutting machine has the appropriate attachment equipped to cut 2mm thick material (not all machines have this feature).

**3**

Place the first piece of heavy chipboard onto the adhesive mat. Center the chipboard in the middle of the mat, leaving 1/2" of space between the edges of the chipboard and the outer edges of the mat grid. Then, use masking tape along each outer edge of the chipboard to secure it to the mat.

**4**

Cut out the first set of pieces. Carefully remove the tape and pieces.

5




Repeat the steps to cut out all pieces for the Mounted Deer Head.

## Crafting Instructions

1




2




3



4



5



6





Lay the two head pieces flat, facing each other, and slide the left antler piece into the left head piece in the fifth slot up from the nose. Also, slide the right antler piece on the right head piece, in fifth slot up from the nose.

7



Bring the two head/antler pieces together and add face piece 1 in the first slots from the nose. Then, slide neck piece 1 through the first slots from the back of the neck.

8



Place face pieces 2 through 4 starting one slot back from face piece 1 (first slot from the nose).